


METAL RACK SET No. 22M-6...
Set of 6 solid-center bits (4/16"-
16/16") in metal workbench rack.




METAL BOX SET No. 22M-5...
Set of 13 solid-center bits (4/16"-
16/16") in sturdy metal box.



PLASTIC ROLL SETS... Solid-
center bits in durable plastic rolls
with transparent pockets and pro-
tective flannel flaps.
No. 22R-2 includes 6 bits
(4/16"-16/16")
No. 22R-5 includes 13 bits
(4/16"-16/16")


WOODWORKING TOOLS

QUICK REFERENCE FILE
FOR ELECTRICIANS,
CARPENTERS,
PIPE FITTERS



No. 22
SOLID-CENTER
AUGER BIT

Highest quality, solid-center auger bit for general woodworking requirements. Solid-center pattern adds stiffness, and single spiral easily, cleanly elevates chips. Finest hardened bit steel... precision-machined for smooth boring... fully polished and rust-protected. Sizes 1/4"-1" individually packed in GREENLEE Perma-Pak, shown at right. Also available in sizes 17/16"-24/16". Handy sets in metal racks, metal boxes, and plastic rolls as shown at left.



GREENLEE TOOL CO.
ROCKFORD, ILLINOIS

EXPANSIVE BITS



Nos. 3 and 4 Expansive Bits

Wide-open throat for easy chip clearance. No. 3 bores $\frac{1}{2}$ " to $1\frac{1}{2}$ ", No. 4, $\frac{7}{8}$ " to 3". Extra cutter available for No. 4 to bore $2\frac{1}{2}$ " to 4". Individually packed in GREENLEE Perma-Pak.



Nos. 5 and 6 Setfast Expansive Bits


Quick-adjusting locking feature, cutter cannot creep. No. 5 bores $\frac{5}{8}$ " to $1\frac{3}{4}$ ", No. 6, $\frac{7}{8}$ " to 3". Extra cutter available for No. 6 to bore $2\frac{1}{2}$ " to 4". Individually packed in GREENLEE Perma-Pak.

AUGERS and CAR BITS



No. 20 Solid-Center Utility Bit

A quality bit priced for fast turnover. Genuine solid-center pattern, highest quality bit steel, hardened throughout. Suitable for most boring requirements. 13 sizes $\frac{1}{4}$ "-1". Also available in 5-piece set ($\frac{1}{4}$ " - $\frac{3}{4}$ ") shown at right . . . in durable plastic roll with transparent pockets.



No. 42 Solid-Center Dowel Auger Bit

Short solid center bit for use in cabinet work. Has screw point, two outlying spurs. $2\frac{1}{4}$ " twist length, 5" over-all. 9 sizes $\frac{1}{16}$ "- $1\frac{1}{16}$ ".



No. 21 Solid-Center Electricians' Auger Bit

For electricians who desire a fast, smooth boring bit. Screw point, one outlying spur, $5\frac{1}{2}$ " twist, 10" over-all. 3 sizes $\frac{10}{16}$ ", $\frac{11}{16}$ ", $\frac{12}{16}$ ".



No. 53 Solid-Center Car Bit

Bores smoothly, cuts freely. Medium-coarse screw for general-purpose boring. 8" twist, 12" over-all. 13 sizes, $\frac{1}{16}$ "- $1\frac{1}{16}$ ".



No. 56 Solid-Center Car Bit

Excellent for general woodwork. Easily clears chips full length. Medium-coarse screw. 12" twist, 17" to 18" over-all. 14 sizes, $\frac{1}{16}$ "- $2\frac{1}{16}$ ".



No. 44 Short Unispur Auger Bit

Short double-twist bit for smooth, fast boring. Screw point, single-cutter head. Spur, $5\frac{1}{2}$ " over-all, 12 sizes $\frac{1}{16}$ "- $\frac{40}{16}$ ".



No. 16 Unispur Electricians' Auger Bit

For electricians who desire a fast, smooth boring bit. Screw point. Single-cutter head. $5\frac{1}{2}$ " twist length. $9\frac{1}{2}$ " over-all. 9 sizes $\frac{10}{16}$ "- $2\frac{1}{16}$ ".



No. 64 Ship Auger Car Bit

For electricians, plumbers, pipe fitters, shipbuilders, construction workers. 12" twist. 17" to 18" over-all. 17 sizes, $\frac{1}{16}$ "- $2\frac{1}{16}$ ".



No. 57 Single-Spur Car Bit

For pole, bridge, dock, and other heavy construction. Medium-feed screw point. 12" twist sizes $\frac{9}{16}$ "- $1\frac{17}{16}$ ". 18" twist sizes $\frac{9}{16}$ "- $1\frac{17}{16}$ ". 24" twist sizes $\frac{9}{16}$ "- $1\frac{17}{16}$ ".



No. 66-J Ship Auger With Screw

Straight square shank and janned hollow. 12" and 15" twist according to sizes. Over-all length 5" longer than twist. 15 sizes, $\frac{9}{16}$ "- $3\frac{3}{16}$ ".



No. 88 Nut Auger

Double-twist pattern, medium-coarse screw. Threaded end with hex nut. 7 sizes, $1\frac{1}{4}$ "-3".



No. 97 Rafting Auger

Double-twist type with large, medium-pitch screw. 12" twist. Approximately 30" over-all. 10 sizes, $1\frac{1}{4}$ "-4".




No. 48 Bellhanger's Drill

Used for telephone and other wiring installations. High-grade alloy steel heat treated over all. Twist length $3\frac{3}{4}$ ". Overall lengths 12", 18" and 24". 10 sizes $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $\frac{5}{8}$ ", $1\frac{1}{16}$ ", $\frac{3}{4}$ ".

No. 46 Wood-Boring Brace Drill

All purpose wood-boring drill with specially treated head. Fully polished. $2\frac{1}{4}$ " to $4\frac{1}{2}$ " twist. $5\frac{1}{2}$ " to 9" over-all. 8 sizes, $\frac{3}{16}$ ", $\frac{7}{32}$ ", $\frac{1}{4}$ ", $\frac{9}{32}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ".

No. 26 Door Lock Bit



Use in a brace to bore openings for tubular door locks or make other shallow, large holes. $5\frac{1}{2}$ " over-all. 5 sizes, $1\frac{1}{8}$ "- $2\frac{1}{8}$ ". Available singly, or all five as set No. 26-RO in plastic roll.



No. 701 Brace Countersink

For wood and soft metals. Will countersink up to $\frac{5}{8}$ ". $4\frac{1}{2}$ " over-all.



No. 723 Screw Driver Bit

For brace use to drive or remove larger size screws. Finest grade steel, heat-treated. $4\frac{1}{2}$ " to $5\frac{1}{2}$ " over-all. 4 sizes, $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ".



Nos. 900 and 925 Brace Bit Extensions

No. 900 — made to follow $\frac{5}{8}$ " bit and larger. Positive lock insures absolute grip on shank. 18" and 24" over-all lengths.

No. 925 — similar to No. 900, but made extra heavy to follow $\frac{13}{16}$ " bit and larger. 18" and 24" over-all lengths.



No. 902-1 Brace Adapter

Permits using GREENLEE Power Bits having $\frac{23}{64}$ " shank in any standard brace. Has two set-screws for positive coupling. $4\frac{1}{2}$ " over-all. $2\frac{1}{32}$ " head dia.

POWER BITS



No. 45 Short Unispur Power Bit

A fast, smooth, easy boring tool for use in electric drills. Shank has three milled flats. Shank size $\frac{23}{64}$ " and $\frac{1}{2}$ ". 3" twist. 6" over-all. 13 sizes, $\frac{10}{16}$ "- $\frac{40}{16}$ ".



No. 18 Unispur Electricians' Power Bit

A double-twist smooth boring power bit, for use in electric drills. Shank has 3 milled flats. Shank sizes, $\frac{23}{64}$ " and $\frac{1}{2}$ ". $5\frac{1}{2}$ " twist. $8\frac{1}{2}$ " over-all. 8 sizes $\frac{10}{16}$ "- $\frac{20}{16}$ ".



No. 29 Unispur Single Twist Electricians' Bits

Dual-purpose shank can be used in both electric drills and hand braces. Combination hex shank fits $\frac{3}{8}$ " or larger electric drills and square shank for hand braces. Fast screw point, unispur head design, ship auger twist with $5\frac{1}{2}$ " twist length, $9\frac{1}{4}$ " overall. Sizes $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{7}{8}$ ", 1".



No. 56 PT Solid-Center Power Car Bit

For use in $\frac{3}{8}$ " and larger three-jaw chucks. Genuine solid-center construction. Medium-pitch screw. 12" twist. Approximately 16" over-all. 11 sizes, $\frac{9}{16}$ "- $\frac{16}{16}$ ".



No. 53 PT Solid-Center Power Car Bit

For use in $\frac{3}{8}$ " and larger three-jaw chucks. Solid-center construction. Medium-feed screw. 8" twist. 10" to $10\frac{1}{2}$ " over-all. 11 sizes, $\frac{9}{16}$ "- $\frac{16}{16}$ ".



No. 64 PT Ship Auger Power Bit

For use in $\frac{3}{8}$ " and larger electric drills to bore deep holes where extra reach is needed. Medium-feed screw. 12" twist. Approximately 17" over-all. 11 sizes, $\frac{9}{16}$ "- $\frac{16}{16}$ ".



No. 62 PT 8" Twist Ship Auger Power Bit

Bores in wood for loom, Romex, cable, conduit tubing, and pipe. Fast-feed screw. Nonslip hexagon shank for $\frac{1}{2}$ " and larger chucks, or $\frac{1}{2}$ " round socket. 8" twist. Approximately 18" over-all. 8 sizes, $\frac{9}{16}$ "- $\frac{16}{16}$ ".



No. 68 PT Power Ship Auger

Without screw for use in electric and pneumatic boring units. Nonslip hexagon shank for $\frac{1}{2}$ " chucks and $\frac{1}{2}$ " hole spindles with setscrews. 12" twist, 18" over-all. 15 sizes, $\frac{9}{16}$ "- $\frac{32}{16}$ ".

No. 66 PT Power Ship Auger

Same as 68 PT except it has a screw point.



No. 65 PT Single-Spur Power Ship Auger

Has an outlining spur for smooth, deep-hole boring. Coarse screw point. Nonslip hexagon shank for $\frac{1}{2}$ " round socket. 12", 18", 24" twist. 9 sizes, $\frac{9}{16}$ "- $\frac{17}{16}$ ".



No. 87 Power Pipe Bit

For boring holes in wood for pipe, conduit, and tubing, two cutting edges, fast-feed screw. Nonslip hexagon shank for $\frac{1}{2}$ " and larger chucks, or $\frac{1}{2}$ " round socket. 7" to 8" twist. 14" to 17" over-all. Sizes: $1\frac{1}{4}$ ", $1\frac{1}{2}$ ", $1\frac{3}{4}$ ", 2", $2\frac{1}{2}$ ".



No. 159 Impact Wrench Bit

For use in all impact wrenches with standard $\frac{7}{16}$ " or $\frac{5}{8}$ " hex adapters. Single twist bit has outlining spur for smooth boring. Coarse screw point, 8", 12", 18" twist. $\frac{7}{16}$ " or $\frac{5}{8}$ " hexagon shank. 8 sizes, $\frac{3}{8}$ ", $\frac{7}{16}$ ", $\frac{1}{2}$ ", $\frac{9}{16}$ ", $1\frac{1}{16}$ ", $\frac{13}{16}$ ", $\frac{15}{16}$ ", $\frac{17}{16}$ ".



No. 149P Multi-spur® Pipe Bit

Smooth-boring multi-spur bits designed especially for boring holes in wood for pipe and conduit. Over-all length approx. 6". Shank size $\frac{1}{2}$ ". 9 sizes, $\frac{7}{8}$ ", $1\frac{1}{8}$ ", $1\frac{3}{8}$ ", $1\frac{1}{4}$ ", 2", $2\frac{1}{2}$ ".

No. 1440 Pipe Bit Set

Consists of the above bits packed in sturdy metal carrying case. Also includes adapter for using an auger-bit brace and an adapter using a $\frac{3}{8}$ " piece of pipe as an extension.



No. 930 Carbide-Tipped Masonry Drills

Double-flute design spiral dust and chips up and out of the hole . . . keeps drill point clear for maximum penetration. Round shank $\frac{1}{4}$ ", $\frac{3}{8}$ " or $\frac{1}{2}$ " with 4" or 6" overall length, depending upon drill size. 12 sizes, $\frac{3}{16}$ " - 1".



Nos. 902 and 904 Power Bit Extensions

Have three flats, 120° apart, for positive nonslip fit in three-jaw chuck. **No. 902** for bits with $\frac{3}{8}$ " shanks . . . **No. 904** for bits with $\frac{1}{2}$ " shanks or $\frac{7}{16}$ " hexagon shanks. 18" and 24" over-all lengths.

No. 901 Power Bit Extension

Has hexagon shank and socket for positive nonslip fit. Fits all electric drills $\frac{1}{4}$ " and larger. $\frac{1}{4}$ " shank. $\frac{1}{4}$ " socket. 12" over-all.

CHISELS and GOUGES

SOCKET CHISELS

Beveled edge, thin blade of high-carbon tool steel. Blade and socket on piece. Perfect balance.



No. 200 Socket Butt Chisel

Blade length $2\frac{3}{4}$ ", leather tip hickory handle, 9 sizes, $\frac{1}{4}$ "-2".



No. 207 Socket Butt Chisel

With tenite handle and metal cap.

No. 220 Short Socket Firmer Chisel

Blade length $4\frac{1}{2}$ ", leather tip hickory handle. 9 sizes, $\frac{1}{4}$ "-2".

No. 227 Short Socket Firmer Chisel

With tenite handle and metal cap.

No. 230 Socket Firmer Chisel

Blade length $6\frac{1}{4}$ ", leather tip hickory handle. 9 sizes, $\frac{1}{4}$ "-2".

No. 237 Socket Firmer Chisel

With tenite handle and metal cap.

TANG BUTT CHISELS



Correctly balanced with thin bevel-edged blade of high-carbon tool steel. Blade carefully tempered and polished. Tenite handle. Sizes through 1" individually packed in GREENLEE Perma-Pak. Blade length $2\frac{1}{4}$ " to $2\frac{3}{4}$ ". Over-all length $7\frac{5}{8}$ " to $8\frac{3}{4}$ ". 9 sizes, $\frac{1}{4}$ "-2".

No. 403 with plain handle.

No. 407 with metal cap.


CHISEL SETS

GREENLEE Nos. 403, 407, 200, and 207 chisels are available in set packaging illustrated, in the following combinations:



PLASTIC ROLL SETS:

Set 403R-6 6 No. 403 ($\frac{1}{4}$ "-1 $\frac{1}{2}$ ").
Set 407R-6 6 No. 407 ($\frac{1}{4}$ "-1 $\frac{1}{2}$ ").
Set 200R-6 6 No. 200 ($\frac{1}{4}$ "-1 $\frac{1}{2}$ ").
Set 207R-6 6 No. 207 ($\frac{1}{4}$ "-1 $\frac{1}{2}$ ").



METAL-EDGE BOXES:

Set 403C-1 3 No. 403 ($\frac{1}{2}$ "-1").
Set 407C-1 3 No. 407 ($\frac{1}{2}$ "-1").
Set 200C-1 3 No. 200 ($\frac{1}{4}$ "-1").
Set 207C-2 3 No. 207 ($\frac{1}{4}$ "-1").



FANCY WOOD CASES:

Set 403H-4 4 No. 403 ($\frac{1}{4}$ "-1").
Set 407H-4 4 No. 407 ($\frac{1}{4}$ "-1").
Set 200H-4 4 No. 200 ($\frac{1}{4}$ "-1").
Set 207H-4 4 No. 207 ($\frac{1}{4}$ "-1").

Fancy wood case



No. 437 Utility Chisel

Special-purpose chisel for cutting daps in telephone or utility poles. Steel-capped, tough plastic handle cannot come loose. 5" blade length, 12" over-all, 2" blade width.



Nos. 390 and 393 Glaziers' Chisels

Made with $\frac{5}{8}$ " cutting bevel for removing putty, cleaning out sash. Heavy edge used to drive glazing points. **No. 390** made of one solid piece. **No. 393** has steel-capped plastic handle. $2\frac{3}{4}$ " blade length, 8" over-all, 2" blade width.



No. 261 Socket Framing Chisel

Sturdily built bevel-edged blade with extra-heavy cross section of solid steel. Long hickory handle with steel ring. 8" blade length. 16" to 17 $\frac{1}{2}$ " over-all. 7 sizes, $\frac{1}{4}$ "-2".

No. 265 Socket Framing Chisel

Same as No. 261, but with plain instead of bevel-edged blade.



No. 290 Socket Slick

Toughened for heavy timber construction. Oval-back blade forged from solid high-carbon tool steel. Sturdy maple handle. 10" blade length. 30" over-all. 3" blade width.



SOCKET FIRMER GOUGES

For all types of woodworking. $6\frac{1}{4}$ " blade length. 13" to 14 $\frac{1}{2}$ " over-all. 7 sizes, $\frac{1}{4}$ "-2".

No. 330 Outside bevel, leather-tipped hickory handle.

No. 331 Outside bevel, plain wood handle.

No. 336 Inside bevel, leather-tipped hickory handle.


No. 335 Inside bevel, plain wood handle.



No.33 **ZIP BIT**




Wood-boring power bit for use in $\frac{1}{4}$ " and larger 3-jaw power chucks. Bores in any wood, any angle, any speed. Exclusive non-slip hex shank chucks quickly, accurately. 13 sizes ($\frac{1}{4}$ "-1") in individual packaging shown at left. Also in sets shown at right.




No. 33M-6 ZIP BIT SET

6 ZIP BITS ($\frac{3}{8}$ "-1") in metal workbench rack. Packed in colorful display carton with clear acetate cover.



No. 33M-11 ZIP BIT SET


11 ZIP BITS ($\frac{3}{8}$ "-1") in metal workbench rack. Packed in colorful display carton with clear acetate cover.



No. 33R-6 ZIP BIT SET


6 ZIP BITS ($\frac{3}{8}$ "-1") in plastic roll with individual transparent pockets.

DRAWKNIVES




No. 600 Razor-Blade Drawknife

Conveniently light, one-piece steel blade, yet substantially stiff for years of hard usage. Hardwood handles. 8" and 10" blade length. $1\frac{3}{8}$ " blade width.




No. 625X Extra-Heavy Stripping Knife

Built for severe work. Solid steel blade. Large hardwood handles. Ideal for peeling bark from poles and trees. 14" blade length. $2\frac{1}{2}$ " blade width.



No. 635 Folding-Handle Drawknife

Lightweight razor-blade pattern. Mahogany-stained handles fold over blade, lock with wing nuts. 10" blade length. $1\frac{3}{8}$ " blade width.



No. 515 Nail Puller

For quick, easy removal of nails from wooden boxes and crates. Impact handle of high-grade cast iron with steel for added strength. All other parts high-grade carbon steel. Finished in attractive green enamel. Length closed 18". Maximum claw opening for 16-penny nail.



Nos. 95 and 95-M Soil Fertilizing Augers

Excellent for boring in soil to feed trees, test subsoil, and for planting flower bulbs. Black japanned finish.

No. 95 with wood handle for hand use, 6" twist. 40" over-all.

No. 95-M for use with electric or pneumatic drill. Shank dia. $\frac{7}{16}$ " hex. 18" twist, 30" over-all.



No. 483 Automatic Push Drill

All working parts completely enclosed. Handle serves as magazine for eight drill points. Has transparent green plastic handle.

TURNING TOOLS

Perfectly balanced turning tools with 6" blades and 10" handles for wood lathe turning by home craftsmen. Blades of finest high-carbon steel, heat-treated and finished entire length. Polished maple handles. Size ranges: Regular Skew Chisel, $\frac{1}{4}$ "- $1\frac{1}{2}$ " . . . Square Nose Chisel, $\frac{1}{4}$ "-1" . . . Spear Point Chisel, $\frac{1}{4}$ ", $\frac{1}{2}$ " . . . Round Nose Chisel, $\frac{1}{4}$ "-1" . . . Turning Gouge, $\frac{1}{4}$ "- $1\frac{1}{2}$ " . . . Parting Tool, $\frac{1}{2}$ ".



No. 476 Turning Chisel



No. 596 Parting Tool



No. 576 Turning Gouge

Turning Tool Matched Sets

Matched sets of six and eight turning tools in gift boxes:

Set No. 470-8 . . .


One each of the following:

$\frac{1}{4}$ " Skew Chisel, $\frac{1}{4}$ " Gouge, $\frac{1}{2}$ " Round Nose Chisel, $\frac{1}{2}$ " Skew Chisel, $\frac{1}{2}$ " Gouge, $\frac{3}{4}$ " Skew Chisel, $\frac{3}{4}$ " Gouge, $\frac{1}{2}$ " Parting Tool.

Set No. 470-6 . . .

One each of the following:

$\frac{1}{4}$ " Skew Chisel, $\frac{1}{4}$ " Gouge, $\frac{1}{2}$ " Round Nose Chisel, $\frac{1}{2}$ " Skew Chisel, $\frac{1}{2}$ " Gouge, $\frac{1}{2}$ " Parting Tool.





PRICE LIST

No. H37-B

EFFECTIVE
March 12, 1964
SUPERSEDES
H37-A
Dated January 5, 1960

APPLIES TO HAND TOOL CATALOG 37-H

SHIPPING TERMS: All tools covered by this price sheet are subject to full freight allowance on orders totaling \$300.00 net or more for shipments in the United States and Canada.

Any "BACK ORDERS" from an order qualifying for freight allowance (\$300.00 net or more) will be shipped on availability at our expense.

All orders are processed on an individual basis. We will attempt to comply with "ADD TO" or "SHIP WITH OTHER GOODS" requests but we can not guarantee this service.

MINIMUM QUANTITIES: Prices quoted are for standard package quantities. Orders will be changed to the nearest standard package on items referenced with an (*) asterisk.

MINIMUM INVOICE CHARGE: This charge is \$10.00.

CREDIT TERMS: A 2% cash discount is allowed for payment on the 10th of the month following date of Invoice.

PRICES: All prices are subject to change without notice. We reserve the right to invoice at prices prevailing at time of shipment. All orders subject to acceptance at factory.

GREENLEE TOOL CO., ROCKFORD, ILLINOIS, 61101, U.S.A.

DIVISION OF GREENLEE BROS. & CO.

Teletype Area Code 815 — 398-0698

Phone Area Code 815 — 963-4881

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 3 PLAIN EXPANSIVE BIT—1/2" to 1-1/2"					
Page 4 — Catalog 37H					
501 5389.7	3	Complete	↑\$ 3.30	6	3
500 7260.9	3A	Cutter 1/2" to 7/8"	↑ .80		.75
500 0012.8	3B	Cutter 7/8" to 1-1/2"	↑ .95		.75
500 3981.4	AV-55	Clamp	.30		.75
500 4037.5	AV-205	Clamp Screw	.15		.75

NO. 4 PLAIN EXPANSIVE BIT—7/8" to 3"					
Page 4 — Catalog 37H					
501 5390.0	4	Complete	↑\$ 3.90	6	6
500 0015.2	4A	Cutter 7/8" to 1-3/4"	↑ 1.00		.75
500 0016.0	4B	Cutter 1-3/4" to 3"	↑ 1.20		.75
500 0017.9	4C	Cutter 2-1/2" to 4"	↑ 2.00		.75
500 4038.3	AV-206	Clamp	.35		1.50
500 3980.6	AV-47	Clamp Screw	.15		.75

NO. 5 SETFAST EXPANSIVE BIT—5/8" to 1-3/4"					
Page 4 — Catalog 37H					
501 5391.9	5	Complete	↑\$ 4.20	6	4
500 0022.5	5A	Cutter 5/8" to 1-1/8"	↑ .95		.75
500 0023.3	5B	Cutter 1-1/8" to 1-3/4"	↑ 1.10		.75
500 4024.3	AV-157	Adjusting Screw	.35		.75
500 6975.6	AV-159	Lock Screw	.20		.75

NO. 6 SETFAST EXPANSIVE BIT—7/8" to 3"					
Page 4 — Catalog 37H					
501 5392.7	6	Complete	↑\$ 5.00	6	6
500 6590.4	6A	Cutter 7/8" to 1-3/4"	↑ 1.30		.75
500 0026.8	6B	Cutter 1-3/4" to 3"	↑ 1.40		.75
500 0027.6	6C	Cutter 2-1/2" to 4"	↑ 2.00		.75
500 4023.5	AV-156	Adjusting Screw	.40		.75
500 4025.1	AV-158	Lock Screw	.25		.75

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 16 UNISPUR ELECTRICIANS' AUGER BITS				
Page 18 — Catalog 37H				
500 0043.8	5/8"	↑\$ 2.30	6*	3
500 0044.6	11/16"	↑ 2.40	6*	4
500 0045.4	3/4"	↑ 2.50	6*	4.5
500 0046.2	13/16"	↑ 2.95	6*	5

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
500 0047.0	7/8"	↑ 3.10	6*	5.25
500 0048.9	15/16"	↑ 3.30	6*	5.5
500 0049.7	1"	↑ 3.45	6*	5.75
500 0050.0	1-1/8"	↑ 4.30	3*	7
500 0051.9	1-1/4"	↑ 4.90	3*	8

NO. 18 UNISPUR ELECTRICIANS' POWER BITS

Page 15 — Catalog 37H

500 0052.7	5/8"	↑\$ 2.80	6*	3.5
500 0053.5	11/16"	↑ 2.90	6*	3.5
500 0054.3	3/4"	↑ 3.00	6*	4
500 0055.1	13/16"	↑ 3.30	6*	4.5
500 6593.9	7/8"	↑ 3.50	6*	5
500 0057.8	1"	↑ 3.80	6*	5.5
500 0058.6	1-1/8"	↑ 4.95	3*	8
500 0059.4	1-1/4"	↑ 5.60	3*	8.25

NO. 20 SOLID-CENTER UTILITY BITS

Page 4 — Catalog 37H

500 0060.8	1/4"	↑\$.90	6*	1
500 0061.6	5/16"	↑ .90	6*	1.25
500 0062.4	3/8"	↑ .90	6*	1.5
500 0063.2	7/16"	↑ .90	6*	1.5
500 0064.0	1/2"	↑ .90	6*	2
500 0065.9	9/16"	↑ .94	3*	2
500 0066.7	5/8"	↑ .98	3*	3
500 0067.5	11/16"	↑ 1.05	3*	3
500 0068.3	3/4"	↑ 1.09	3*	3.25
500 0069.1	13/16"	↑ 1.13	3*	3.5
500 0070.5	7/8"	↑ 1.16	3*	4
500 0071.3	15/16"	↑ 1.24	3*	4.5
500 0072.1	1"	↑ 1.31	3*	4.5

NO. 20R-0 SOLID-CENTER UTILITY BIT SETS in Plastic Roll

Page 4 — Catalog 37H

500 0075.6	5 Bits—1/4", 3/8", 1/2", 5/8", 3/4"	↑\$ 4.95	1	1
------------	-------------------------------------	----------	---	---

*See Minimum Quantities

NO. 21 SOLID-CENTER ELECTRICIANS' AUGER BITS

Page 18 — Catalog 37H

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
500 0076.4	5/8"	↑\$ 1.90	6*	3
500 0078.0	11/16"	↑ 2.10	6*	3.5
500 0079.9	3/4"	↑ 2.20	6*	3.5

NO. 22 SOLID-CENTER AUGER BITS

Page 3 — Catalog 37H

501 5393.5	1/4"	↑\$ 1.20	6*	1
501 5394.3	5/16"	↑ 1.20	6*	1.5
501 5395.1	3/8"	↑ 1.20	6*	1.5
501 5397.8	7/16"	↑ 1.20	6*	1.5
501 5398.6	1/2"	↑ 1.20	6*	2
501 5399.4	9/16"	↑ 1.25	3*	2.25
501 5400.1	5/8"	↑ 1.30	3*	3
501 5402.8	11/16"	↑ 1.40	3*	4
501 5403.6	3/4"	↑ 1.45	3*	4
501 5404.4	13/16"	↑ 1.50	3*	4
501 5405.2	7/8"	↑ 1.55	3*	5
501 5406.0	15/16"	↑ 1.65	3*	6
501 5407.9	1"	↑ 1.75	3*	6
500 0093.4	1-1/16"	↑ 2.35	3*	7
500 0094.2	1-1/8"	↑ 2.40	3*	7
500 0095.0	1-1/4"	↑ 2.70	3*	7
500 0096.9	1-3/8"	↑ 2.95	3*	9
500 0097.7	1-1/2"	↑ 3.35	3*	9

NO. 22 SOLID-CENTER AUGER BIT SETS

Page 3 — Catalog 37H

500 0127.2	22R-2	Plastic Roll 6 Bits—1/4", 3/8", 1/2", 5/8", 3/4", 1"	↑\$ 8.45	1	1.5
500 0130.2	22R-5	Plastic Roll 13 Bits—1/4" thru 1"	↑ 18.50	1	3.25
500 6599.8	22M-5	Metal Box 13 Bits—1/4" thru 1"	↑ 20.45	1	4.75
500 0124.8	22M-6	Metal Rack 6 Bits—1/4", 3/8", 1/2", 5/8", 3/4", 1"	↑ 8.50	1	1.5

NO. 26 DOOR LOCK BITS

Page 7 — Catalog 37H

500 0164.7	1-5/8"	\$ 3.85	1	4.25
500 0165.5	1-3/4"	3.85	1	4.37
500 0166.3	1-7/8"	4.25	1	4.37
500 0167.1	2"	4.25	1	4.62
500 6604.8	2-1/8"	4.45	1	4.62

NO. 26-RO DOOR LOCK BITS in Plastic Roll

Page 7 — Catalog 37H

500 0169.8	5 Bits—1 5/8", 1 3/4", 1 7/8", 2", 2 1/8"	\$21.50	1	1.75
------------	---	---------	---	------

NO. 28-PT SINGLE TWIST POWER BITS

Page 16 — Catalog 37H

500 0175.2	1/4"	↑\$ 1.70	6*	.75
500 0176.0	5/16"	↑ 1.70	6*	1
500 0177.9	3/8"	↑ 1.95	6*	1.5
500 0178.7	7/16"	↑ 2.05	6*	1.5
500 0179.5	1/2"	↑ 2.20	6*	2
500 0180.9	9/16"	↑ 2.50	6*	2.25
500 0181.7	5/8"	↑ 2.50	6*	2.5
500 0182.5	11/16"	↑ 2.60	6*	3.5
500 0183.3	3/4"	↑ 3.05	6*	3.5

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
500 0184.1	13/16"	↑ 3.40	6*	4.75
500 6606.4	7/8"	↑ 3.65	6*	5.5
500 0186.8	15/16"	↑ 3.85	6*	6.12
500 0187.6	1"	↑ 4.00	6*	7

NO. 29 UNISPUR SINGLE TWIST ELECTRICIANS' BITS

Bulletin H-381-A

501 4896.6	11/16"	\$ 2.80	6*	4.32
501 4898.2	3/4"	2.90	6*	5
501 5380.3	13/16"	3.20	6*	5.63
501 5383.8	7/8"	3.40	6*	7.88
501 5385.4	1"	3.70	6*	8

NO. 33 ZIP BITS

Page 5 — Catalog 37H

500 0188.4	1/4"	↑\$.80	6*	1
500 0189.2	5/16"	↑ .80	6*	1.12
500 0190.6	3/8"	↑ .80	6*	1.25
500 0192.2	7/16"	↑ .80	6*	1.25
500 0193.0	1/2"	↑ .80	6*	1.25
500 0195.7	9/16"	↑ .80	6*	1.5
500 0196.5	5/8"	↑ .80	6*	1.5
500 0198.1	11/16"	↑ .80	6*	1.5
500 6607.2	3/4"	↑ .80	6*	1.5
500 0201.5	13/16"	↑ .80	6*	1.75
500 0202.3	7/8"	↑ .80	6*	1.75
500 6608.0	15/16"	↑ .80	6*	2
500 0206.6	1"	↑ .80	6*	2

NO. 33 ZIP BIT SETS

Page 5 — Catalog 37H

500 0226.0	33M-6	Metal Rack 6 Bits—3/8", 1/2", 5/8", 3/4", 7/8", 1"	↑\$ 4.90	1	1
500 0228.7	33M-11	Metal Rack 11 Bits—3/8" thru 1"	↑ 8.90	1	1.75
500 0227.9	33R-6	Plastic Roll 6 Bits—3/8", 1/2", 5/8", 3/4", 7/8", 1"	↑ 4.85	1	1.25

NO. 42 SOLID-CENTER DOWEL BITS

Page 4 — Catalog 37H

500 0233.3	1/4"	↑\$ 1.40	6*	.75
500 0234.1	5/16"	↑ 1.40	6*	.75
500 6611.0	3/8"	↑ 1.40	6*	.75
500 0236.8	7/16"	↑ 1.45	6*	1
500 0237.6	1/2"	↑ 1.60	6*	1.12
500 0239.2	5/8"	↑ 1.70	6*	1.5
500 0241.4	3/4"	↑ 1.80	6*	2
500 0242.2	7/8"	↑ 1.95	6*	2.12
500 0243.0	1"	↑ 2.30	6*	2

NO. 44 SHORT UNISPUR AUGER BITS

Page 18 — Catalog 37H

500 0246.5	11/16"	↑\$ 2.35	6*	2
500 0247.3	3/4"	↑ 2.45	6*	2.5
500 0248.1	13/16"	↑ 2.90	6*	3
500 6612.9	7/8"	↑ 3.00	6*	3
500 0251.1	1"	↑ 3.30	6*	3.5
500 6613.7	1-1/8"	↑ 4.20	6*	3.5
500 0253.8	1-1/4"	↑ 4.85	6*	4
500 0254.6	1-3/8"	↑ 5.40	6*	4
500 0255.4	1-1/2"	↑ 6.00	6*	4.5
500 0256.2	1-3/4"	↑ 7.50	3*	6
500 0257.0	2"	↑ 9.00	3*	6.5
500 0259.7	2-1/2"	↑ 12.20	3*	10.5

*See Minimum Quantities on Page 1

Control No. Size Price Each Std. Wt. Lbs. Pkg. Per Doz.

NO. 45 SHORT UNISPUR POWER BITS

Page 15 — Catalog 37H

500 0260.0	5/8"	↑\$ 2.75	6*	2.5
500 0261.9	11/16"	↑ 2.85	6*	2.5
500 0262.7	3/4"	↑ 2.95	6*	3
500 0263.5	13/16"	↑ 3.30	6*	3
500 0264.3	7/8"	↑ 3.50	6*	3
500 0265.1	1"	↑ 3.80	6*	3.5
500 6614.5	1-1/8"	↑ 4.90	3*	5
500 0267.8	1-1/4"	↑ 5.50	3*	5
500 0268.6	1-3/8"	↑ 6.30	3*	6
500 0269.4	1-1/2"	↑ 7.00	3*	6
500 0270.8	1-3/4"	↑ 8.40	3*	8
500 0271.6	2"	↑ 10.00	3*	8
500 0272.4	2-1/2"	↑ 13.80	3*	13.5

NO. 46 BRACE DRILLS

Page 7 — Catalog 37H

500 0275.9	1/8"	↑\$ 1.25	6*	.5
500 0276.7	5/32"	↑ 1.25	6*	.5
500 0277.5	3/16"	↑ 1.60	6*	.5
500 0279.1	7/32"	↑ 1.70	6*	.5
500 0280.5	1/4"	↑ 1.80	6*	1
500 0281.3	9/32"	↑ 2.00	6*	1.25
500 0282.1	5/16"	↑ 2.15	6*	2.5
500 0284.8	3/8"	↑ 2.40	6*	3
500 0286.4	7/16"	↑ 2.75	6*	3
500 0288.0	1/2"	↑ 3.25	6*	3

NO. 48 BELL HANGER DRILLS

Page 18 — Catalog 37H

12-inch Length				
500 0295.3	3/16"	↑\$ 2.20	6*	1
500 0296.1	1/4"	↑ 2.25	6*	1.5
500 6616.1	5/16"	↑ 2.30	6*	2
500 0298.8	3/8"	↑ 2.50	6*	2
500 0299.6	7/16"	↑ 2.85	6*	3
500 0300.3	1/2"	↑ 3.20	6*	3.5
18-inch Length				
500 0305.4	3/16"	↑ 2.60	6*	1.5
500 0306.2	1/4"	↑ 2.70	6*	2.5
500 0307.0	5/16"	↑ 2.75	6*	3
500 0308.9	3/8"	↑ 3.00	6*	3
500 0309.7	7/16"	↑ 3.30	6*	4.5
500 0310.0	1/2"	↑ 3.70	6*	5
500 0311.9	9/16"	↑ 4.00	6*	5
500 0312.7	5/8"	↑ 4.50	6*	5.5
500 0313.5	11/16"	↑ 4.90	6*	6
500 0314.3	3/4"	↑ 5.75	6*	6.37
24-inch Length				
500 6619.6	3/16"	↑ 3.20	6*	2
500 0317.8	1/4"	↑ 3.30	6*	3.25
500 0318.6	5/16"	↑ 3.45	6*	4.5
500 0319.4	3/8"	↑ 3.65	6*	4.5
500 0320.8	7/16"	↑ 3.90	6*	4.5
500 0321.6	1/2"	↑ 4.25	6*	7

NO. 53 SOLID-CENTER CAR BITS—8-inch Twist

Page 6 — Catalog 37H

500 0349.6	1/4"	↑\$ 1.80	6*	1
500 6623.4	5/16"	↑ 1.80	6*	1.25
500 0351.8	3/8"	↑ 1.80	6*	1.5
500 0352.6	7/16"	↑ 1.90	6*	2
500 0353.4	1/2"	↑ 1.95	6*	2.5
500 0354.2	9/16"	↑ 2.00	6*	3
500 0355.0	5/8"	↑ 2.15	6*	3.25
500 0356.9	11/16"	↑ 2.25	6*	4
500 0357.7	3/4"	↑ 2.40	6*	4.5
500 0358.5	13/16"	↑ 2.60	6*	5
500 0359.3	7/8"	↑ 2.70	6*	6
500 0360.7	15/16"	↑ 2.80	6*	6.25
500 0361.5	1"	↑ 2.95	6*	6.5

Control No. Size Price Each Std. Wt. Lbs. Pkg. Per Doz.

NO. 53-PT SOLID-CENTER POWER CAR BITS

8-inch Twist

Page 15 — Catalog 37H

500 0362.3	3/8"	↑\$ 2.20	6*	1
500 0363.1	7/16"	↑ 2.25	6*	2
500 6624.2	1/2"	↑ 2.30	6*	2.5
500 0365.8	9/16"	↑ 2.50	6*	3
500 0366.6	5/8"	↑ 2.70	6*	3.25
500 0367.4	11/16"	↑ 2.95	6*	4
500 0368.2	3/4"	↑ 3.15	6*	5
500 0369.0	13/16"	↑ 3.30	6*	5.5
500 0370.4	7/8"	↑ 3.45	6*	6
500 0371.2	15/16"	↑ 3.65	6*	6.25
500 0372.0	1"	↑ 3.80	6*	6.5

NO. 56 SOLID-CENTER CAR BITS—12-inch Twist

Page 6 — Catalog 37H

500 0373.9	3/8"	↑\$ 2.25	6*	3
500 0374.7	7/16"	↑ 2.25	6*	3
500 0375.5	1/2"	↑ 2.25	6*	4
500 0376.3	9/16"	↑ 2.30	6*	4
500 0377.1	5/8"	↑ 2.40	6*	5
500 6625.0	11/16"	↑ 2.65	6*	6
500 0379.8	3/4"	↑ 2.80	6*	6.5
500 0380.1	13/16"	↑ 3.00	6*	7.5
500 6626.9	7/8"	↑ 3.25	6*	8
500 0382.8	15/16"	↑ 3.50	6*	8
500 0383.6	1"	↑ 3.80	6*	10
500 0384.4	1-1/16"	↑ 4.40	6	12
500 0385.2	1-1/8"	↑ 4.75	6	12
500 0386.0	1-1/4"	↑ 5.45	6	12.5

Control No. Size Price Each Std. Wt. Lbs. Pkg. Per Doz.

NO. 56-PT SOLID-CENTER POWER CAR BITS

12-inch Twist

Page 15 — Catalog 37H

500 0387.9	3/8"	↑\$ 2.60	6*	3
500 0388.7	7/16"	↑ 2.60	6*	3
500 0389.5	1/2"	↑ 2.70	6*	3.25
500 0390.9	9/16"	↑ 2.85	6*	4.5
500 0391.7	5/8"	↑ 3.00	6*	5
500 0392.5	11/16"	↑ 3.20	6*	6
500 0393.3	3/4"	↑ 3.55	6*	7
500 0394.1	13/16"	↑ 3.80	6*	8
500 6627.7	7/8"	↑ 4.00	6*	8.5
500 0396.8	15/16"	↑ 4.50	6*	10
500 0397.6	1"	↑ 4.75	6*	10

NO. 57 SINGLE-SPUR CAR BITS

Page 6 — Catalog 37H

12-inch Twist

500 0398.4	3/8"	↑\$ 3.40	6*	3
500 0399.2	7/16"	↑ 3.45	6*	4.5
500 6628.5	1/2"	↑ 3.55	6*	5
500 0401.8	9/16"	↑ 3.60	6*	6
500 0402.6	5/8"	↑ 3.65	6*	6.5
500 0403.4	11/16"	↑ 3.80	6*	8.5
500 0404.2	3/4"	↑ 4.20	6*	8.75
500 0405.0	13/16"	↑ 4.40	6*	10
500 0406.9	7/8"	↑ 4.80	6*	11
500 0407.7	15/16"	↑ 5.20	6*	13
500 0408.5	1"	↑ 5.50	6*	14.5
500 0409.3	1-1/16"	↑ 5.90	6	16.5

(Continued on next page)

*See Minimum Quantities on Page 1

NO. 57 SINGLE-SPUR CAR BITS (Continued)

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
18-inch Twist				
500 0410.7	9/16"	↑ 6.00	6*	8.5
500 0411.5	5/8"	↑ 6.15	6*	9.5
500 0412.3	11/16"	↑ 6.70	6*	11.5
500 0413.1	3/4"	↑ 7.15	6*	12.5
500 6629.3	13/16"	↑ 7.80	6*	15
500 0415.8	7/8"	↑ 8.30	6*	17.5
500 0416.6	15/16"	↑ 8.90	6*	19
500 0417.4	1"	↑ 9.50	6*	21.7
500 0418.2	1-1/16"	↑ 10.00	6	22.5
24-inch Twist				
500 0419.0	9/16"	↑ 7.80	6*	10
500 0420.4	5/8"	↑ 8.00	6*	12
500 0421.2	11/16"	↑ 8.50	6*	13.5
500 0422.0	3/4"	↑ 9.10	6*	15
500 0423.9	13/16"	↑ 9.80	6*	18.5
500 0424.7	7/8"	↑ 10.60	6*	20
500 0425.5	15/16"	↑ 11.30	6*	24.5
500 0426.3	1"	↑ 12.00	6*	29
500 0427.1	1-1/16"	↑ 12.70	6	30

**NO. 62-PT SHIP AUGER POWER BITS
8-inch Twist—18-inch Overall**

Page 16 — Catalog 37H

500 0433.6	9/16"	↑\$ 3.50	6*	8
500 0434.4	5/8"	↑ 3.65	6*	8.5
500 0435.2	11/16"	↑ 3.85	6*	9
500 0436.0	3/4"	↑ 4.00	6*	10
500 0437.9	13/16"	↑ 4.15	6*	11
500 0438.7	7/8"	↑ 4.30	6*	12
500 0439.5	15/16"	↑ 4.55	6*	13.25
500 0440.9	1"	↑ 4.85	6*	13.5

NO. 64 SHIP AUGER CAR BITS—12-inch Twist

Page 6 — Catalog 37H

500 0441.7	1/4"	↑\$ 2.95	6*	2
500 0442.5	5/16"	↑ 2.95	6*	2.5
500 0443.3	3/8"	↑ 2.95	6*	3
500 0444.1	7/16"	↑ 3.00	6*	3.5
500 6632.3	1/2"	↑ 3.05	6*	4
500 0446.8	9/16"	↑ 3.10	6*	5
500 0447.6	5/8"	↑ 3.15	6*	6.5
500 0448.4	11/16"	↑ 3.20	6*	8
500 0449.2	3/4"	↑ 3.25	6*	9
500 0450.6	13/16"	↑ 3.40	6*	10.5
500 0451.4	7/8"	↑ 3.55	6*	11.5
500 0452.2	15/16"	↑ 3.95	6*	13.5
500 0453.0	1"	↑ 4.10	6*	14.5
500 0454.9	1-1/16"	↑ 4.55	6	16
500 0455.7	1-1/8"	↑ 5.00	6	18
500 0456.5	1-1/4"	↑ 5.65	6	22
500 0457.3	1-1/2"	↑ 7.60	6	27.5

NO. 64-PT SHIP AUGER POWER BITS—12-inch Twist

Page 16 — Catalog 37H

500 6636.6	3/8"	↑\$ 3.30	6*	2.5
500 0477.8	7/16"	↑ 3.35	6*	3.5
500 0478.6	1/2"	↑ 3.40	6*	4
500 0479.4	9/16"	↑ 3.65	6*	5
500 0480.8	5/8"	↑ 3.75	6*	6
500 0481.6	11/16"	↑ 3.90	6*	8
500 0482.4	3/4"	↑ 4.10	6*	8.5
500 0483.2	13/16"	↑ 4.25	6*	10
500 0484.0	7/8"	↑ 4.50	6*	11.5
500 0485.9	15/16"	↑ 4.80	6*	13
500 0486.7	1"	↑ 5.15	6*	13.5

NO. 65-PT SINGLE-SPUR POWER SHIP AUGERS

Page 17 — Catalog 37H

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
12-inch Twist				
500 0529.4	9/16"	↑\$ 4.55	6*	8
500 0530.8	5/8"	↑ 4.65	6*	8.5
500 0531.6	11/16"	↑ 5.00	6*	9
500 0532.4	3/4"	↑ 5.20	6*	10
500 0533.2	13/16"	↑ 5.35	6*	12
500 0534.0	7/8"	↑ 5.75	6*	14
500 0535.9	15/16"	↑ 6.05	6*	15
500 0536.7	1"	↑ 6.60	6*	16.5
500 0537.5	1-1/16"	↑ 7.05	6	17
18-inch Twist				
500 0538.3	9/16"	↑ 7.85	6*	10
500 0539.1	5/8"	↑ 8.00	6*	12
500 0540.5	11/16"	↑ 8.50	6*	13
500 0541.3	3/4"	↑ 8.85	6*	14
500 0542.1	13/16"	↑ 9.25	6*	17
500 6641.2	7/8"	↑ 9.75	6*	19
500 0544.8	15/16"	↑ 10.35	6*	21
500 0545.6	1"	↑ 11.10	6*	22
500 0546.4	1-1/16"	↑ 11.95	6	24
24-inch Twist				
500 0547.2	9/16"	↑ 9.60	6*	12
500 0548.0	5/8"	↑ 9.90	6*	14
500 0549.9	11/16"	↑ 10.50	6*	17
500 0550.2	3/4"	↑ 10.80	6*	18
500 0551.0	13/16"	↑ 11.20	6*	20
500 0552.9	7/8"	↑ 11.90	6*	23
500 0553.7	15/16"	↑ 12.60	6*	27
500 0554.5	1"	↑ 13.60	6*	28
500 0555.3	1-1/16"	↑ 14.60	6	30

NO. 66-J SHIP AUGERS WITH SCREW

Page 6 — Catalog 37H

500 0576.6	9/16"	↑\$ 3.00	6*	6
500 0577.4	5/8"	↑ 3.05	6*	7.5
500 0578.2	11/16"	↑ 3.10	6*	9
500 0579.0	3/4"	↑ 3.20	6*	10
500 0580.4	13/16"	↑ 3.35	6*	11.5
500 0581.2	7/8"	↑ 3.45	6*	13
500 0582.0	15/16"	↑ 3.70	6*	14
500 0583.9	1"	↑ 3.85	6*	16.5
500 0584.7	1-1/16"	↑ 5.00	6	22
500 0585.5	1-1/8"	↑ 5.35	6	23.5
500 0586.3	1-1/4"	↑ 6.00	6	28
500 0587.1	1-3/8"	↑ 6.85	6	32
500 6645.5	1-1/2"	↑ 7.75	6	37
500 0590.1	1-3/4"	↑ 11.50	3	44
500 0592.8	2"	↑ 15.25	2	60

**NO. 66-PT POWER SHIP AUGERS WITH SCREW
12-inch Twist, 18-inch Overall**

Page 16 — Catalog 37H

500 6098.8	9/16"	↑\$ 3.90	6*	7.5
500 0593.6	5/8"	↑ 4.00	6*	8
500 0594.4	11/16"	↑ 4.30	6*	9.5
500 0595.2	3/4"	↑ 4.40	6*	10
500 0596.0	13/16"	↑ 4.50	6*	11
500 0597.9	7/8"	↑ 4.80	6*	12.5
500 0598.7	15/16"	↑ 5.05	6*	14
500 0599.5	1"	↑ 5.35	6*	15.5
500 0600.2	1-1/16"	↑ 6.20	6	16
500 0601.0	1-1/8"	↑ 7.10	6	18
500 0602.9	1-1/4"	↑ 7.80	6	20
500 0603.7	1-3/8"	↑ 8.60	6	24
500 0604.5	1-1/2"	↑ 9.20	6	28.5
500 0605.3	1-3/4"	↑ 12.90	3	36
500 0606.1	2"	↑ 16.80	2	46.5
500 6647.1	2-1/4"	↑ 18.50	1	48

*See Minimum Quantities on Page 1

NO. 68-PT POWER SHIP AUGERS WITHOUT SCREW
12-inch Twist, 18-inch Overall

Page 16 — Catalog 37H

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
500 0645.2	9/16"	↑\$ 4.70	6*	7
500 0646.0	5/8"	↑ 4.80	6*	8
500 0647.9	11/16"	↑ 5.15	6*	9
500 0648.7	3/4"	↑ 5.30	6*	10
500 0649.5	13/16"	↑ 5.40	6*	11
500 0650.9	7/8"	↑ 5.80	6*	13
500 0651.7	15/16"	↑ 6.10	6*	15
500 0652.5	1"	↑ 6.45	6*	16
500 0653.3	1-1/16"	↑ 7.50	6	17.25
500 0654.1	1-1/8"	↑ 8.50	6	18.25
500 6654.4	1-1/4"	↑ 9.40	6	21
500 0656.8	1-3/8"	↑ 10.30	6	24.25
500 0657.6	1-1/2"	↑ 11.10	6	28
500 0658.4	1-3/4"	↑ 15.50	3	36
500 0659.2	2"	↑ 20.00	2	45

NO. 87 POWER PIPE BITS

Page 17 — Catalog 37H

500 6656.0	1-1/4"	↑\$ 6.35	6	11.5
500 0673.8	1-1/2"	↑ 7.55	6	16
500 0674.6	1-3/4"	↑ 8.95	3	19
500 0675.4	2"	↑ 10.35	3	26
500 0676.2	2-1/2"	↑ 16.20	2	39

NO. 88 NUT AUGERS

Page 7 — Catalog 37H

500 0677.0	1-1/4"	↑ 5.35	6	13
500 0678.9	1-1/2"	↑ 6.75	6	19
500 0679.7	1-3/4"	↑ 8.00	6	24
500 0680.0	2"	↑ 9.00	3	29
500 0681.9	2-1/4"	↑ 12.10	2	42
500 0682.7	2-1/2"	↑ 15.00	2	45
500 0683.5	3"	↑ 24.50	2	54

NOS. 95 and 95M SOIL FERTILIZING AUGERS
 Page 13 — Catalog 37H

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
500 0685.1	95	Hand—2" Dia.	↑\$ 6.70	1	60
500 0687.8	95M	Power—2" Dia. 7/16" Hex Shank	↑ 10.25	1	54

NO. 97 RAFTING AUGERS
 Page 7 — Catalog 37H

500 0710.6	1-1/4"	↑\$ 9.20	3	38
500 0711.4	1-1/2"	↑ 11.50	3	42
500 0712.2	1-3/4"	↑ 13.65	3	48
500 0713.0	2"	↑ 16.10	3	51
500 0714.9	2-1/4"	↑ 18.70	2	57
500 0715.7	2-1/2"	↑ 21.30	2	69
500 0716.5	2-3/4"	↑ 25.00	2	72
500 0717.3	3"	↑ 28.30	2	78
500 0718.1	3-1/2"	↑ 44.50	2	102
500 6659.5	4"	↑ 58.00	1	108

NO. 159W-7 SINGLE-SPUR IMPACT WRENCH BIT
7/16" Hexagon Shank

Bulletin H-381-A

8-inch Twist

501 3994.0	3/8"	\$ 5.50	6*	4.5
501 3996.7	7/16"	5.60	6*	5.25
501 3998.3	1/2"	5.60	6*	5.25
501 4000.0	9/16"	5.80	6*	6

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
-------------	------	------------	-----------	-------------------

12-inch Twist

501 4002.7	9/16"	6.30	6*	8.25
501 4574.6	11/16"	6.50	6*	9.75
501 4010.8	13/16"	6.80	6*	11.25
501 4012.4	15/16"	7.75	6*	14.25
501 4016.7	1-1/16"	8.50	6	16.5

18-inch Twist

501 4004.3	9/16"	8.70	6*	9.75
501 4008.6	11/16"	9.20	6*	11.25
501 4018.3	13/16"	10.00	6*	16.5
501 4014.0	15/16"	11.50	6*	20.25
501 4020.5	1-1/16"	12.70	6	23.25

NO. 159W-10 SINGLE-SPUR IMPACT WRENCH BIT
5/8" Hexagon Shank

Bulletin H-381-A

8-inch Twist

501 3756.5	3/8"	\$ 5.50	6*	4.5
501 3988.6	7/16"	5.60	6*	5.25
501 3757.3	1/2"	5.60	6*	5.25
501 3758.1	9/16"	5.80	6*	6

12-inch Twist

501 4549.5	9/16"	6.30	6*	8.25
501 3760.3	11/16"	6.50	6*	9.75
501 3761.1	13/16"	6.80	6*	11.25
501 3990.8	15/16"	7.75	6*	14.25
501 4550.9	1-1/16"	8.50	6	16.5

18-inch Twist

501 3763.8	9/16"	8.70	6*	9.75
501 3764.6	11/16"	9.20	6*	11.25
501 3765.4	13/16"	10.00	6*	16.5
501 3992.4	15/16"	11.50	6*	20.25
501 3766.2	1-1/16"	12.70	6	23.25

Control No.	Drill Size	Shank Dia.	Overall Length	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
-------------	------------	------------	----------------	------------	-----------	-------------------

NO. 930 MASONRY DRILLS

Bulletin H-380

501 5290.4	3/16"	3/16"	4"	\$2.05	12*	.5
501 5291.2	1/4"	1/4"	4"	2.05	12*	.75
501 5292.0	1/4"	1/4"	6"	2.20	12*	.93
501 5293.9	5/16"	1/4"	4"	2.20	12*	.75
501 5294.7	5/16"	1/4"	6"	2.40	12*	1.25

501 5295.5	3/8"	1/4"	4"	2.40	12*	1
501 5296.3	3/8"	1/4"	6"	2.40	12*	1.5
501 5297.1	7/16"	1/4"	6"	2.70	6*	2
501 5299.8	1/2"	1/4"	6"	3.05	6*	2.62
501 5300.5	1/2"	3/8"	6"	3.05	6*	2.75

501 5301.3	9/16"	1/2"	6"	4.00	3*	3.75
501 5302.1	5/8"	1/2"	6"	4.25	3*	4.37
501 5304.8	11/16"	1/2"	6"	4.80	3*	4.87
501 5305.6	3/4"	1/2"	6"	5.20	3*	5.75
501 5306.4	7/8"	1/2"	6"	6.50	3*	7.25
501 5307.2	1"	1/2"	6"	8.10	2*	9.37

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Each
-------------	-------------	-------------	------------	-----------	---------------

NO. 1440 PIPE BIT SET

Page 17 — Catalog 37H

500 2773.5	1440	Complete	\$55.00	1	6.5
500 1137.5	149P	7/8" Bit for 1/2" Pipe	4.60		.31
500 1138.3	149P	1-1/8" Bit for 3/4" Pipe	4.95		.37
500 1139.1	149P	1-3/8" Bit for 1" Pipe	5.90		.37
500 1140.5	149P	1-3/4" Bit for 1-1/4" Pipe	8.50		.43
500 1142.1	149P	2" Bit for 1-1/2" Pipe	9.75		.5
500 1144.8	149P	2-1/2" Bit for 2" Pipe	17.00		.87
500 2774.3	1440-B	Brace Adapter	2.10		.31
500 2775.1	1440-C	Coupling	1.50		.37
500 6864.4	1440-E	Electric Drill Adapter	1.25		.5

*See Minimum Quantities on Page 1

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 701 BRACE COUNTERSINK					
Page 7 — Catalog 37H					
500 2389.6	701	Brace Countersink	↑\$ 1.00	12*	1.25

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 723 SCREW DRIVER BITS				
Page 7 — Catalog 37H				
500 2398.5	1/4"	\$.50	12*	1
500 2399.3	5/16"	.50	12*	1.25
500 2400.0	3/8"	.55	12*	1.75
500 2401.9	1/2"	.60	12*	1.75

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 902-1 BRACE ADAPTER					
Page 17 — Catalog 37H					
500 2709.3	902-1	Brace Adapter	\$ 1.80	6*	2.5

POWER BIT EXTENSIONS					
Page 5* and 17 — Catalog 37H					
*No. 901					
500 2706.9	901	Power Bit Extension to follow 11/16" bit and larger Shank Size: 1/4" Hex Over-All Length: 12"	\$ 2.00	4*	5.25
	902	Power Bit Extension to follow 11/16" bit and larger Shank Size: 23/64" Over-All Length:			
500 2707.7		18"	2.35	4*	7.5
500 2708.5		24"	2.50	4*	9.75
	904	Power Bit Extension to follow 1-1/8" bit and larger Shank Size: 1/2" Over-All Length:			
500 2710.7		18"	3.15	1	15
500 2711.5		24"	3.40	1	18

BIT EXTENSIONS—For Brace Shank Bits					
Page 18 — Catalog 37H					
	900	Bit Extensions to Follow 5/8" Bit and Larger			
500 2703.4		18" Length	↑\$ 4.95	4*	12
500 2705.0		24" Length	↑ 5.25	4*	15.75
	925	Bit Extensions to Follow 13/16" Bit and Larger			
500 2715.8		18" Length	↑\$ 6.75	4*	16.5
500 2716.6		24" Length	↑ 7.35	4*	21.75

CHISELS, GOUGES, DRAWKNIVES AND TURNING TOOLS

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 200 SOCKET BUTT CHISELS—Hickory Handle				
Page 9 — Catalog 37H				
500 1937.6	1/4"	↑\$ 2.60	6*	2.25
500 1938.4	3/8"	↑ 2.60	6*	2.5
500 1939.2	1/2"	↑ 2.60	6*	2.5
500 1940.6	5/8"	↑ 2.70	6*	3
500 1941.4	3/4"	↑ 2.80	6*	3
500 1942.2	1"	↑ 2.90	6*	4.5
500 1943.0	1-1/4"	↑ 3.70	3*	5
500 1944.9	1-1/2"	↑ 4.00	3*	5.75
500 1945.7	2"	↑ 4.90	3*	6

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Each
NO. 200 SOCKET BUTT CHISEL SETS					
Page 9 — Catalog 37H					
500 1955.4	200C-1	Metal Edge Box 3 Chisels—1/2", 3/4", 1"	↑\$ 8.55	1	1
500 1958.9	200H-4	Wood Case 4 Chisels—1/4", 1/2", 3/4", 1"	↑ 14.90	1	2.5
500 1960.0	200R-6	Plastic Roll 6 Chisels—1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2"	↑ 19.70	1	2.25

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 220 SHORT SOCKET FIRMER CHISELS Hickory Handle				
Page 9 — Catalog 37H				
500 1999.6	1/4"	↑\$ 2.80	6*	2.5
500 2000.5	3/8"	↑ 2.80	6*	3
500 2001.3	1/2"	↑ 2.80	6*	3
500 2002.1	5/8"	↑ 2.90	6*	4.5
500 6788.5	3/4"	↑ 3.00	6*	5
500 2005.6	1"	↑ 3.20	6*	6
500 2006.4	1-1/4"	↑ 3.95	3*	7
500 2007.2	1-1/2"	↑ 4.30	3*	8
500 2008.0	2"	↑ 5.30	3*	10

NO. 230 SOCKET FIRMER CHISELS—Hickory Handle					
Page 9 — Catalog 37H					
500 2061.7	1/4"	↑\$ 3.10	6*	3.5	
500 2062.5	3/8"	↑ 3.10	6*	3.5	
500 2063.3	1/2"	↑ 3.10	6*	4	
500 2064.1	5/8"	↑ 3.30	6*	6	
500 6793.1	3/4"	↑ 3.40	6*	6	
500 2066.8	1"	↑ 3.60	6*	8	
500 2067.6	1-1/4"	↑ 4.40	3*	10	
500 2068.4	1-1/2"	↑ 4.75	3*	11	
500 2069.2	2"	↑ 5.90	3*	13	

NO. 207* SOCKET BUTT CHISELS—Plastic Handle with Steel Cap					
Page 9 — Catalog 37H					
501 4134.1	1/4"	↑\$ 2.90	6*	3	
501 4587.8	3/8"	↑ 2.90	6*	3	
501 4136.8	1/2"	↑ 2.90	6*	3.5	
501 4137.6	5/8"	↑ 3.00	6*	3.5	
501 4138.4	3/4"	↑ 3.10	6*	4	
501 4139.2	1"	↑ 3.25	6*	5.5	
501 4140.6	1-1/4"	↑ 4.05	3*	6	
501 4141.4	1-1/2"	↑ 4.40	3*	7	
501 4142.2	2"	↑ 5.25	3*	7.75	

*Listed as No. 203 in the Catalog

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Each
NO. 207* SOCKET BUTT CHISEL SETS					
Page 9 — Catalog 37H					
501 6677.8	207C-1	Metal Edge Box 3 Chisels—1/2", 3/4", 1"	↑\$ 9.50	1	1
501 6678.6	207H-4	Wood Case 4 Chisels—1/4", 1/2", 3/4", 1"	↑ 16.15	1	2.5
501 6679.4	207R-6	Plastic Roll 6 Chisels—1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2"	↑ 21.70	1	2.5

*Listed as No. 203 in the Catalog

*See Minimum Quantities on Page 1

Control No. Size Price Each Std. Pkg. Wt. Lbs. Per Doz.

NO. 227* SHORT SOCKET FIRMER CHISELS
Plastic Handle with Steel Cap

Page 9 — Catalog 37H

501 3561.9	1/4"	↑\$ 3.15	6*	3.5
501 3562.7	3/8"	↑ 3.15	6*	4
501 3563.5	1/2"	↑ 3.15	6*	4.5
501 3564.3	5/8"	↑ 3.25	6*	5
501 3565.1	3/4"	↑ 3.45	6*	6.5

501 4530.4	1"	↑ 3.65	6*	6.75
501 3567.8	1-1/4"	↑ 4.40	3*	8.5
501 3568.6	1-1/2"	↑ 4.90	3*	10
501 3569.4	2"	↑ 5.90	3*	11.75

*Listed as No. 223 in the Catalog

NO. 237* SOCKET FIRMER CHISELS
Plastic Handle with Steel Cap

Page 9 — Catalog 37H

501 4143.0	1/4"	↑\$ 3.45	6*	4
501 4144.9	3/8"	↑ 3.45	6*	4.5
501 4145.7	1/2"	↑ 3.45	6*	5.5
501 4146.5	5/8"	↑ 3.75	6*	7
501 4147.3	3/4"	↑ 3.85	6*	7

501 4148.1	1"	↑ 4.25	6*	10
501 4588.6	1-1/4"	↑ 5.05	3*	11
501 4150.3	1-1/2"	↑ 5.40	3*	12
501 4151.1	2"	↑ 6.55	3*	14

*Listed as No. 233 in the Catalog

NO. 251 TREE SURGEON CHISELS

Page 13 — Catalog 37H

500 2109.5	1/2"	↑\$ 4.90	6	7
500 2110.9	3/4"	↑ 5.60	6	8.5
500 2111.7	1"	↑ 6.10	6	9
500 2112.5	1-1/4"	↑ 6.85	6	15
500 2113.3	1-1/2"	↑ 7.75	6	15.25

NO. 261 SOCKET FRAMING CHISELS

Page 10 — Catalog 37H

500 2114.1	1/4"	↑\$ 3.90	6	6
500 6799.0	1/2"	↑ 4.10	6	7
500 2116.8	3/4"	↑ 4.35	6	9.5
500 2117.6	1"	↑ 4.75	6	13

500 2118.4	1-1/4"	↑ 5.40	6	15
500 2119.2	1-1/2"	↑ 6.10	6	16
500 2120.6	2"	↑ 7.60	6	21.5

NO. 265 SOCKET FRAMING CHISELS

Page 10 — Catalog 37H

500 2122.2	1/4"	↑\$ 3.55	6	5
500 2123.0	1/2"	↑ 3.70	6	7
500 2124.9	3/4"	↑ 3.95	6	10.5
500 2125.7	1"	↑ 4.35	6	13.5

500 2127.3	1-1/4"	↑ 5.00	6	15
500 2128.1	1-1/2"	↑ 5.60	6	16.5
500 6800.8	2"	↑ 7.20	6	22

NO. 290 SOCKET SLICK

Page 10 — Catalog 37H

500 2131.1	3"	↑\$17.50	2	43.5
------------	----	----------	---	------

NO. 330 SOCKET FIRMER GOUGES
Outside Bevel—Leather-Tipped Hickory Handle

Page 10 — Catalog 37H

500 6801.6	1/4"	↑\$ 4.10	6	2.5
500 2133.8	3/8"	↑ 4.10	6	3
500 2134.6	1/2"	↑ 4.25	6	4
500 2135.4	3/4"	↑ 4.60	6	6

500 2136.2	1"	↑ 5.40	6	9
500 2138.9	1-1/2"	↑ 6.90	6	11
500 2139.7	2"	↑ 8.70	6	14

NO. 331 SOCKET FIRMER GOUGES
Outside Bevel—Hickory Handle

Page 10 — Catalog 37H

500 2140.0	1/4"	↑\$ 3.95	6	2.5
500 2141.9	3/8"	↑ 3.95	6	3
500 2142.7	1/2"	↑ 4.10	6	4
500 2143.5	3/4"	↑ 4.45	6	6

500 2144.3	1"	↑ 5.25	6	9
500 2145.1	1-1/2"	↑ 6.75	6	11
500 6802.4	2"	↑ 8.50	6	14

NO. 335 SOCKET FIRMER GOUGES
Inside Bevel—Hickory Handle

Page 10 — Catalog 37H

500 2148.6	1/4"	↑\$ 3.95	6	2.5
500 2149.4	3/8"	↑ 3.95	6	3
500 2150.8	1/2"	↑ 4.10	6	4
500 2151.6	3/4"	↑ 4.45	6	6

500 2152.4	1"	↑ 5.25	6	9
500 2153.2	1-1/2"	↑ 6.75	6	11
500 2154.0	2"	↑ 8.50	6	14

NO. 336 SOCKET FIRMER GOUGES
Inside Bevel—Leather-Tipped Hickory Handle

Page 10 — Catalog 37H

500 2155.9	1/4"	↑\$ 4.10	6	2.5
500 2156.7	3/8"	↑ 4.10	6	3
500 2157.5	1/2"	↑ 4.25	6	4
500 2158.3	3/4"	↑ 4.60	6	6

500 2159.1	1"	↑ 5.40	6	9
500 2160.5	1-1/2"	↑ 6.90	6	11
500 2161.3	2"	↑ 8.70	6	14

NO. 341 TREE SURGEON GOUGES

Page 13 — Catalog 37H

500 2162.1	1/2"	↑\$ 5.85	6	8
500 6803.2	3/4"	↑ 6.50	6	8.5
500 2164.8	1"	↑ 7.20	6	10
500 2165.6	1-1/4"	↑ 7.85	6	15
500 2166.4	1-1/2"	↑ 8.75	6	16.5

NO. 390 GLAZIER CHISEL

Page 11 — Catalog 37H

500 2168.0	2"	↑\$ 2.85	6	11
------------	----	----------	---	----

NO. 393 GLAZIER CHISEL
Plastic Handle with Steel Cap

Page 11 — Catalog 37H

500 6550.5	2"	↑\$ 3.50	6	12
------------	----	----------	---	----

NO. 403 TANG BUTT CHISELS—Plastic Handle

Page 8 — Catalog 37H

500 2171.0	1/4"	↑\$ 2.60	6*	3.25
500 2172.9	3/8"	↑ 2.60	6*	3.5
500 2173.7	1/2"	↑ 2.60	6*	3.75
500 2174.5	5/8"	↑ 2.95	6*	4.25
500 2175.3	3/4"	↑ 3.05	6*	4.75

500 2176.1	1"	↑ 3.40	6*	5
500 6804.0	1-1/4"	↑ 4.00	3*	6.25
500 2178.8	1-1/2"	↑ 4.35	3*	6.5
500 2179.6	2"	↑ 5.20	3*	7.25

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Each
-------------	-------------	-------------	------------	-----------	---------------

NO. 403 TANG BUTT CHISEL SET

Page 8 — Catalog 37H

500 2184.2	403C-1	Metal Edge Box 3 Chisels—1/2", 3/4", 1"	↑\$ 9.30	1	1
500 2185.0	403H-4	Wood Case 4 Chisels—1/4", 1/2", 3/4", 1"	↑ 15.65	1	2.5
500 2186.9	403R-6	Plastic Roll 6 Chisels—1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2"	↑ 21.10	1	2.5

*See Minimum Quantities on Page 1

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 407 TANG BUTT CHISELS—Plastic Handle with Steel Cap				
Page 8 — Catalog 37H				
500 2189.3	1/4"	↑\$ 2.85	6*	4
500 2190.7	3/8"	↑ 2.85	6*	4.25
500 2191.5	1/2"	↑ 2.85	6*	4.25
500 2192.3	5/8"	↑ 3.30	6*	5
500 2193.1	3/4"	↑ 3.40	6*	5.25
500 6806.7	1"	↑ 3.60	6*	5.5
500 2195.8	1-1/4"	↑ 4.15	3*	6.5
500 2196.6	1-1/2"	↑ 4.50	3*	7
500 2197.4	2"	↑ 5.30	3*	7.5

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Each
NO. 407 TANG BUTT CHISEL SETS					
Page 8 — Catalog 37H					
500 2204.0	407C-1	Metal Edge Box 3 Chisels—1/2", 3/4", 1"	↑\$10.10	1	1
500 2205.9	407H-4	Wood Case 4 Chisels—1/4", 1/2", 3/4", 1"	↑ 16.70	1	2.5
500 2206.7	407R-6	Plastic Roll 6 Chisels—1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2"	↑ 22.45	1	2.5

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 437 UTILITY CHISEL—Plastic Handle with Steel Cap				
Page 11 — Catalog 37H				
500 2207.5	2"	↑\$ 6.60	3*	13

NO. 476 TURNING CHISELS—6-inch Blade				
Page 12 — Catalog 37H				
Regular Skew				
500 2269.5	1/4"	↑\$ 1.70	6	6
500 2271.7	1/2"	↑ 1.70	6	7
500 2272.5	3/4"	↑ 2.10	6	8
500 2273.3	1"	↑ 2.40	6	9
500 2274.1	1-1/2"	↑ 4.40	6	12
Spear Point				
500 6816.4	1/4"	↑ 1.80	6	6
500 2293.8	1/2"	↑ 1.80	6	7
Round Nose				
500 2288.1	1/4"	↑ 1.80	6	6
500 6815.6	1/2"	↑ 1.80	6	7
500 2290.3	3/4"	↑ 2.20	6	8
500 2291.1	1"	↑ 2.60	6	9
Square Nose				
500 2294.6	1/4"	↑ 1.80	6	6.5
500 2295.4	1/2"	↑ 1.80	6	7
500 2296.2	3/4"	↑ 2.20	6	8
500 2297.0	1"	↑ 2.60	6	9

NO. 576 TURNING GOUGES—6-inch Blade				
Page 12 — Catalog 37H				
500 2328.4	1/4"	\$ 1.90	6	6
500 2330.6	1/2"	1.95	6	7
500 2332.2	3/4"	↑ 2.45	6	8.5
500 2334.9	1"	↑ 3.00	6	9.75
500 2336.5	1-1/2"	↑ 6.00	6	13

NO. 596 PARTING TOOL—6-inch Blade				
Page 12 — Catalog 37H				
500 2355.1	1/2"	↑\$ 2.00	6	6

NO. 470-6 TURNING TOOL SET				
Page 12 — Catalog 37H				
500 2260.1	Set of 6 in Display Box 1/4" and 1/2" Regular Skew 1/4" and 1/2" Gouge 1/2" Round Nose 1/2" Parting Tool	↑\$11.85	1	3.25

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 470-8 TURNING TOOL SET				
Page 12 — Catalog 37H				
500 6812.1	Set of 8 in Display Box 1/4", 1/2", and 3/4" Regular Skew 1/4", 1/2", and 3/4" Gouge 1/2" Round Nose 1/2" Parting Tool	↑\$16.40	1	5

NO. 600 DRAWKNIVES				
Page 11 — Catalog 37H				
500 2362.4	8-inch Blade	↑\$ 4.60	4*	13.5
500 2364.0	10-inch Blade	↑ 4.95	4*	15

NO. 625X EXTRA HEAVY STRIPPING KNIFE				
Page 11 — Catalog 37H				
500 2379.9	14-inch Blade	↑\$11.90	2	39

NO. 635 FOLDING-HANDLE DRAWKNIFE				
Page 11 — Catalog 37H				
500 2381.0	10-inch Blade	↑\$ 9.65	1	21

Control No.	Catalog No.	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
CHISEL AND GOUGE HANDLES				
Page 11 — Catalog 37H				
Wood				
500 7014.2	A (AV-2343)	↑\$.60	12*	1
500 4416.8	B (AV-2344)	↑ .60	12*	1.25
500 4417.6	C (AV-2345)	↑ .60	12*	1.75
500 4418.4	E (AV-2350)	↑ .60	12*	1
500 4419.2	F (AV-2351)	↑ .60	12*	1.5
500 4147.9	A-1/2 (AV-1217)	↑ .50	12*	1
500 4430.3	B-1/2 (AV-2371)	↑ .50	12*	1.25
500 4431.1	C-1/2 (AV-2372)	↑ .50	12*	1.75
500 6294.8	N (261-50)	↑ .70	12*	1.5
500 6295.6	O (261-51)	↑ .70	12*	1.75
500 6296.4	P (261-52)	↑ .70	12*	2.25
500 6297.2	Q (261-53)	↑ .70	12*	2.75
500 2287.3	R (476-51)	↑ .65	12*	4
500 4567.9	U (AV-2750)	↑ 2.10	12*	11
500 6298.0	V (AV-251-50)	↑ .70	12*	2
500 6299.9	W (AV-251-51)	↑ .75	12*	3

Plastic				
501 3570.8	GM (1-3570)	↑ 1.00	12*	1.5
501 3571.6	HM (1-3571)	↑ 1.05	12*	2
501 3572.4	IM (1-3572)	↑ 1.25	12*	2.5
500 4868.6	J (AV-3533)	↑ .80	12*	1.5
500 4869.4	K (AV-3534)	↑ .85	12*	2
500 4870.8	L (AV-3535)	↑ 1.00	12*	2.5
500 5214.4	JM (AV-4500)	↑ 1.00	12*	1.75
500 5215.2	KM (AV-4501)	↑ 1.05	12*	2.25
500 5216.0	LM (AV-4502)	↑ 1.20	12*	2.75
501 0692.9	437-101U (1-0692)	1.30	12*	14.25

Control No.	Catalog No.	Description	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
AUTOMATIC PUSH DRILL AND ACCESSORIES					
Page 13 — Catalog 37H					
500 2315.2	483	Automatic Push Drill—Plastic Handle	\$ 6.00	1	6
500 2316.0	484	Set of 8 Drill Points	1.80	1	.75
500 2393.4	705	Countersink	.75	1	.75

Control No.	Size	Price Each	Std. Pkg.	Wt. Lbs. Per Doz.
NO. 515 NAIL PULLER				
Page 12 — Catalog 37H				
500 2323.3	Nail Puller	\$ 4.95	1	60

*See Minimum Quantities on Page 1

NEW GREENLEE NO. 930 IMPROVED CARBIDE-TIPPED MASONRY DRILLS


This double-flute design lets you drill holes faster, easier...for less

IN CONCRETE, CINDER BLOCK, BRICK, TILE.

SPECIALLY ENGINEERED FLUTES SPIRAL DUST AND CHIPS UP AND OUT OF THE HOLE...KEEP DRILL POINT CLEAR FOR MAXIMUM PENETRATION.

**TRY THIS
SIMPLE
TEST...**

*prove to
yourself
which drill
is best!*



(1) Greenlee double-flute drill penetrates fast. Double-flute design prevents dust and chips from clogging the hole and slowing the drill. Carbide tip is always clear for best cutting action... (2) Single-flute drill brings up dust and chips more slowly. Drill tip and flutes can clog more easily, reducing drilling rate the deeper the drill goes... (3) Fast-spiral drill has shallow flutes that restrict cleaning action needed to keep the hole clear. Drill tip and flutes can load up rapidly, lengthening drilling time and shortening tool life.

SCIENTIFIC FLUTE DESIGN—reduces friction between drill and the sides of the hole... drills run cooler, increasing wear life. Also, less friction means you need less power to run the drill.

SUPER-HARD DRILL POINTS—drills are tipped with high-grade tungsten carbide... hardest man-made metal.

EASILY SHARPENED—the extra big carbide tips on Greenlee masonry drills can be reground again and again on conventional grinding wheels... no special tools or fixtures are needed.

FULLY GUARANTEED—if any drill fails under normal use, Greenlee replaces it *free*.

POPULAR ROUND SHANK—1/4", 3/8", or 1/2" depending upon drill size. Fits all electric hand drills with standard chucks. (See table below for drill diameter, shank sizes.)

HANDY REUSABLE CONTAINER—drills come in a durable plastic cylinder that can be used as a permanent storage container.

IMPORTANT: Be sure to specify overall length on sizes 1/4" through 3/8" and shank diameter on 1/2" size.

GREENLEE TOOL CO.
Rockford, Illinois

GREENLEE NO. 930 MASONRY DRILLS Dimensions and Prices				
DRILL SIZE	SHANK DIA	LENGTH OVERALL	LIST PRICE	STANDARD PACKAGE
3/16"	3/16"	4"	\$2.05	12
1/4"	1/4"	4"	2.05	12
1/4"	1/4"	6"	2.20	12
5/16"	1/4"	4"	2.20	12
5/16"	1/4"	6"	2.40	12
3/8"	1/4"	4"	2.40	12
3/8"	1/4"	6"	2.40	12
7/16"	1/4"	6"	2.70	6
1/2"	1/4"	6"	3.05	6
1/2"	3/8"	6"	3.05	6
9/16"	1/2"	6"	4.00	3
5/8"	1/2"	6"	4.25	3
11/16"	1/2"	6"	4.80	3
3/4"	1/2"	6"	5.20	3
7/8"	1/2"	6"	6.50	3
1"	1/2"	6"	8.10	2

NEW FROM GREENLEE... NO. 29 UNISPUR SINGLE TWIST BIT

Use this all-new electricians' bit in both electric drills and hand braces!




Patent Pending

**NEW, IMPROVED, DUAL-PURPOSE SHANK FITS BOTH ELECTRIC DRILLS AND HAND BRACES. ONE BIT DOES THE WORK OF TWO!*


*Also fits Greenlee No. 902 Power Bit Extension

ONE BIT FOR ELECTRIC DRILLS... AND HAND BRACES




Universal hex shank

... fits 3/8" or larger electric drills
... can't slip or twist even on the toughest drilling job. Extra tough forged shank takes heavy torque.




Square shank

... fits all first-quality hand braces.
Chuck jaws clamp over square shank so drill can't pull out of chuck.



Positive lock design

... fits Greenlee Nos. 902 and 904 Power Bit Extensions. Set screws fit into milled reliefs in shank ... lock bit in place so it can't slip or pull out.



- 1. Fast screw point**—No. 10 pitch screw point starts the bit quickly for fast boring with either electric drill or hand brace.
- 2. Unispur head design**—for smoothest possible boring action. Deep cut screw point won't let go ... cuts easily. Sharpening is easy using only a hand file.
- 3. Popular ship auger twist**—with 5-1/2" twist length, 9-1/4" overall. Design gives fast chip elevation ... prevents clogging ... assures ample bearing in the hole for straight, true boring.

Greenlee No. 29 Unispur Single Twist Electricians' Bit					
Size	11/16"	3/4"	13/16"	7/8"	1"
Wt per doz	4.32 lb	5.00 lb	5.63 lb	7.88 lb	8.00 lb
List price each	\$2.80	\$2.90	\$3.20	\$3.40	\$3.70

GREENLEE TOOL CO., Rockford, Illinois



ANOTHER NEW ADDITION TO THE
GREENLEE LINE OF TIMESAVING TOOLS

Greenlee Bits

for all impact wrenches

with standard 7/16" or 5/8"
hex adapters

Hex shanks are 1-5/8" long with a deep retainer recess that snap locks the bit into the impact wrench adapter. Tool change is fast . . . simple —yet tool can't work loose or slip out of the chuck.

Forged shanks are made extra tough to take the heavy torque of impact wrenches.

Bore 3/8" to 17/16" holes in telephone or power line poles quickly and easily with the new Greenlee impact wrench bits. *Simplify and speed pole work . . .* these new bits let you use impact wrenches with 5/8" or 7/16" hex adapters for boring as well as nut running . . . *get the job done faster . . . more economically.* And linemen on pole or platform have fewer tools to carry.

Single twist bit has outlining spur for smooth, deep-hole boring. Coarse screw point, one spur, and one side lip assure long service life. Choice of 14 standard stock sizes.



No. 159-W7, 7/16" Hexagon Shank, Single Spur Machine Bit

No. 159-W10, 5/8" Hexagon Shank, Single Spur Machine Bit

8" Twist Length			12" Twist Length			18" Twist Length		
Size	Weight	List	Size	Weight	List	Size	Weight	List
3/8"	6 oz	\$5.50	9/16"	11 oz	\$6.30	9/16"	13 oz	\$8.70
7/16"	7 oz	5.60	11/16"	13 oz	6.50	11/16"	15 oz	9.20
1/2"	7 oz	5.60	13/16"	15 oz	6.80	13/16"	1 lb 6 oz	10.00
9/16"	8 oz	5.80	15/16"	1 lb 3 oz	7.75	15/16"	1 lb 11 oz	11.50
			1-1/16"	1 lb 6 oz	8.50	1-1/16"	1 lb 15 oz	12.70

NOTE: When ordering, please specify catalog number, shank size, and twist length required.

Another new addition to the Greenlee line of Job-Profit Tooling

GREENLEE TOOL CO., ROCKFORD, ILLINOIS